Covid Vaccine Genocide | Israel's Participation in The Global Cover Up Operation

TRUTH11.COM

14 Sep 2026 3 min

Share

Leaked Data Show Israel Covered Up Hundreds of Covid Shot Deaths and Hospitalizations Within Weeks of Vaccine Rollout

Nicolas Hulscher, MPH | FOCAL POINTS | Courageous Discourse

Subscribe

A **newly published peer-reviewed study** has exposed an internal Israeli Ministry of Health pharmacovigilance dataset documenting **531 hospitalizations and 67 deaths** within weeks of mass COVID-19 “vaccine” rollout.

excli2026-9596

Real-time pharmacovigilance and cardiac risk communication during the COVID-19 vaccination campaign

excli2026-9596.pdf • 876 KB

EXCLI Journal 2026;25:1437-1457 – ISSN 1611-2156
Received: June 08, 2026, accepted: August 09, 2026, published: September 03, 2026

REAL-TIME PHARMACOVIGILANCE AND CARDIAC RISK COMMUNICATION DURING THE COVID-19 VACCINATION CAMPAIGN IN ISRAEL

Yaakov Ophir[1,2*], Yaffa Shir-Raz[3]


Real-Time Pharmacovigilance and Cardiac Risk Communication During the COVID-19 Vaccination Campaign in Israel
Disclosure and analysis of internal pharmacovigilance reports submitted to Pfizer (March 2021–May 2022)
STUDY AT A GLANCE
Purpose
Disclose and analyze an internal dataset of serious adverse events reported to Pfizer, reconstruct the communication timeline, and assess the accuracy and completeness of public communication.
Data source
Internal pharmacovigilance reports compiled by the Israeli Ministry of Health (IMOH) and submitted to Pfizer in real time.
Study period
March 2021 – May 2022
Scope
531 hospitalizations and 67 unique deaths across multiple serious adverse event categories.
KEY FINDINGS (DATASET AS OF MAY 2022)
531
Hospitalizations
67
Deaths (unique)
Age distribution of hospitalizations
40%
under 30 years
Myocarditis / Pericarditis
47%
of hospitalizations
72%
of hospitalizations under 30 years
22%
of unique deaths under 50 years
64%
of hospitalized patients under 30 had no meaningful medical history identified
74%
of this otherwise healthy subgroup were diagnosed with myocarditis or pericarditis
91%
of them were male
WHAT THIS STUDY SHOWS
A notable cardiac safety signal was identified early in Israel, especially in young, often otherwise healthy males.
Communication to clinicians and the public followed only after a delay of ~3–4 months.
Public communication emphasized rarity, clinical mildness, and comparison to COVID-19 outcomes.
The study situates myocarditis within the broader operational record of serious hospitalizations and deaths reported to Pfizer.
The discussion re-examines the characterization of vaccine-associated myocarditis as rare, mild, transient, and less concerning than COVID-19.
TIMELINE OF KEY EVENTS
Dec 11, 2020
FDA issues EUA; serious adverse events must be reported to VAERS.
Jan–Feb 2021
Early myocarditis cases detected in Israel; active surveillance begins.
Feb 28, 2021
Israel alerts EMA and CDC to ~40 myocarditis cases in young individuals.
Mar 3, 2021
IMOH officials warn CDC about large numbers' in young people.
Mar 25, 2021
Israel reports to Pfizer 157 hospitalizations and 46 deaths, including 65 myocarditis/ pericarditis cases.
May 28, 2021
CDC recommends reporting all myocarditis/ pericarditis cases after vaccination to VAERS.
Jun 23–25, 2021
ACIP concludes benefits outweigh risks; EUA fact sheets are updated.
Jul 6, 2021
CDC MMWR describes most reported cases as mild and says benefits outweigh risks.
Later evidence from studies
Aug–Oct 2021: Israeli studies reported elevated myocarditis risk after BNT162b2, including ~1 case per 6,637 males aged 16–19 after dose 2.
Nov 28, 2021: Hong Kong study reported 37.32 per 100,000 (~1 in 2,679) male adolescents after dose 2; adolescents aged 12–17 were advised to receive 1 dose instead of 2.
A notable cardiac safety signal emerged by February–March 2021, but broad communication to clinicians and the public was delayed and may not have fully conveyed its magnitude and clinical significance.

Nearly half of all hospitalization reports involved myocarditis or pericarditis. Among people under 30, that figure surged to 151 of 211 (71.6%), including 48 patients under 18.

But the most important revelation was how early Israeli authorities had this information. By March 25, 2021, barely three months into the vaccine rollout, Israel had already reported to Pfizer **46 deaths, 157 hospitalizations, and 65 myocarditis/pericarditis cases**. These were not retrospective estimates assembled years later; they came from an operational Ministry of Health pharmacovigilance dataset used to document serious events considered relevant enough to report directly to the manufacturer. The **median reported interval from vaccination to death was just 3 days**.

BREAKING: Leaked Data Show Israel COVERED UP HUNDREDS of COVID Shot Deaths and Hospitalizations Within Weeks of Vaccine Rollout.

1 MASS VACCINATION BEGINS IN ISRAEL

Dec 2020

Israel launches its national COVID-19 vaccination campaign.

A HEALTHIER TOMORROW TOGETHER

2. ISRAEL DOCUMENTS HUNDREDS OF SERIOUS EVENTS

By March 25, 2021

- **46** DEATHS
- **157** HOSPITALIZATIONS
- **65** MYOCARDITIS / PERICARDITIS CASES

NEVER TOLD THE PUBLIC

Documented in internal Israeli Ministry of Health pharmacovigilance data and reported to Pfizer.



3. COVER-UP AND PUBLIC DOWNPLAYING

Many Months Later



- Delay public disclosure
- Downplay seriousness
- Emphasize benefits
- Control the narrative
- Limit data release

"Focus on public confidence and vaccine uptake."
— Internal meeting notes

MYOCARDITIS IS:

- ✓ RARE
- ✓ MILD
- ✓ TRANSIENT

Public messaging downplayed the risks despite early internal data.

The Public Was Told a Different Story

Israel had already alerted the CDC and European Medicines Agency to approximately 40 myocarditis cases by the end of February 2021. By March 25, the internal records contained the 46 deaths, 157 hospitalizations, and 65 myocarditis/pericarditis reports described above. Yet the study reconstructs a delay of roughly **three to four months** before the myocarditis signal was meaningfully communicated to clinicians and the public.

When the risk was finally acknowledged, the public messaging emphasized that myocarditis was **"rare," "mild," and transient** and that vaccination benefits outweighed the risks. That characterization was fraudulent given their internal record containing hundreds of serious hospitalizations, severe cardiac injury, and deaths.

The U.S. Was Covering-Up Major Safety Signals at the Same Time

The Israeli records are even more significant when viewed alongside what a **2026 U.S. Senate investigation** uncovered inside the FDA.


BREAKING: Senate Investigation Finds FDA Officials Covered-Up 25 COVID Shot Safety Signals
FDA's own data flagged sudden cardiac death, heart attacks, blood clots, neurological damage, and dementia... and the FDA analyst...
FP FOCAL POINTS (Courageous Discourse™) • Nicolas Hulscher, M...
HESE ARE THE ADVERSE EVENT

FDA senior medical officer Dr. Ana Szarfman and statistician Dr. William DuMouchel applied an upgraded data-mining method to VAERS in early 2021 that identified **49 examples of extreme masking and roughly 25 statistically significant safety signals** that the agency's standard method had missed. Those signals included **sudden cardiac death, acute myocardial infarction, pulmonary infarction, thrombosis/embolism, Bell's palsy, dementia, and "death and sudden death."**

The Senate report says Szarfman was circulating these findings to senior FDA officials in **March, April, May, and July 2021**. Internal communications cited in the investigation show that officials told her to **"hold off"** on generating and distributing further reports, described the work as a **"major distraction,"** and expressed concern that conflicting safety findings could feed into **"anti-vaccination rhetoric."** She was ultimately ordered to **"cease and desist."**

So in essentially the same early-2021 window, Israeli authorities were documenting deaths, hospitalizations, and a major myocarditis signal while FDA analysts in the United States were independently uncovering serious cardiac, thrombotic, neurological, and mortality signals.

Two Countries, the Same Pattern

In Israel, the Ministry of Health documented deaths, severe cardiac events, and hundreds of hospitalizations and reported them to Pfizer, while the eventual public messaging falsely claimed that myocarditis was rare and mild.

In the United States, an FDA analyst uncovered previously obscured signals involving sudden cardiac death, myocardial infarction, thrombosis, and mortality—and senior officials then told her to cease and desist.

Taken together, this confirms that the most serious vaccine-safety information was known internally, tempered publicly, and withheld from the risk narrative presented to patients and physicians.

The cover-up of COVID-19 "vaccine" deaths, injuries, and disabilities appears to have been a coordinated GLOBAL OPERATION.

Original Article: https://www.thefocalpoints.com/p/breaking-leaked-data-show-israel

COMMENTS (0)

Subscribe to Truth11.com

Receive Articles By Email • Support Independent Media

Subscribe now

Support Truth11.com | • Make A Donation

• Become A Monthly Subscriber

© Truth11.com 2026